



Electricity and Magnetism

Lecture Nine

Capacitor with a Dielectric

Dr. Mohammed Hashim Abbas

first stage

Department of medical physics

Al-Mustaqbal University-College

2022- 2023

Outline

- 1. Capacitor with a Dielectric**
- 2. Dielectrics: An Atomic View**
- 3. References**

1. Capacitor with a Dielectric

If you fill the space between the plates of a capacitor with a **dielectric**, which is an insulating material such as mineral **oil** or **plastic**, what happens to the capacitance?

Michael Faraday first looked into this matter in 1837. Using simple equipment much like that shown in Fig. 25-12, he found that **the capacitance increased** by a **numerical factor k** , which he called the **dielectric constant k** of the insulating material.

$$C = k C_{air}$$

where C_{air} is the capacitance with **only air** between the plates and C is the capacitance with **dielectric** between the plates.

In a region completely filled by a dielectric material of dielectric constant k , all electrostatic equations containing the permittivity constant ϵ_0 are to be modified by replacing ϵ_0 with $K\epsilon_0$.




Figure 2: If the potential difference between the plates of a capacitor is maintained, as by battery B, the effect of a dielectric is to increase the charge on the plates.

2. Dielectrics: An Atomic View

What happens, in atomic and molecular terms, when we put a dielectric in an electric field? There are two possibilities, depending on the type of molecule:

1. Polar dielectrics. The molecules of some dielectrics, like water, have permanent electric dipole moments. In such materials (called polar dielectrics), the electric dipoles tend to line up with an external electric field. The alignment of the electric dipoles produces an electric field that is directed opposite the applied field and is smaller in magnitude.
2. Nonpolar dielectrics. Regardless of whether they have permanent electric dipole moments, molecules acquire dipole moments by induction when placed in an external electric field. We saw that this occurs because the external field tends to “stretch” the molecules, slightly separating the centers of negative and positive charge.





Figure 3: Molecules with a permanent electric dipole moment, showing their random orientation in the absence of an external electric field. (b) An electric field is applied, producing partial alignment of the dipoles. Thermal agitation prevents complete alignment.

3. References

Walker, Jearl, Robert Resnick, and David Halliday. Halliday and resnick fundamentals of physics. Wiley, 2014.