



Department of Anesthesia Techniques

Title of the lecture: ECG II



Dr. Mohammed Sami
Mohammed.sami.hasan@uomus.edu.iq

Cardiac Cycle

Cardiac Cycle: the electrical, pressure and volume changes that occur in a functional heart between successive heart beats.

- **Diastole:** Phase of the cardiac cycle when myocardium is relaxed
- **Systole:** Phase of the cardiac cycle when the myocardium contracts
- **Atrial systole:** when atria contract.
- **Ventricular systole:** when ventricles contract.

Cardiac Cycle

- Electrical changes in heart tissue cause mechanical changes, i.e. muscle contraction.
- changes in electrical membrane potential of specific parts of the heart tissue represent mechanical events in specific areas of the heart tissue.

Electrocardiography

- Two common abbreviations for electrocardiogram: **EKG and ECG.**
- EKG comes from German language where cardiogram is written as kardiogram.
- The ECG records the electrical activity of the heart.
- Mechanical activity of the heart is sensed by **Echocardiography.**



Electrocardiography

ECG - electrocardiogram

- graphic recording of electrical events
- When myocardial muscle is completely polarized or depolarized, the ECG will not record any electrical potential but rather a flat line, *isoelectric line*.
- After depolarization, myocardial cells undergo repolarization to return to electrical state at rest.

ECG Time & Voltage


- ECG machines can run at **50 or 25 mm/sec**.
- **Major grid lines are 5 mm** apart; at standard 25 mm/s, 5 mm corresponds to 0.2 seconds.
- **Minor lines** are 1 mm apart; at standard 25 mm/s, 1 mm corresponds to 0.04 seconds.
- Voltage is measured on vertical axis.
- Standard calibration is 0.1 mV per mm of deflection.



Electrocardiogram


- Normal P wave has amplitude of ≤ 0.25 mV
- Q wave is first downward deflection after P wave= ***start of ventricular depolarization***
- R wave is positive deflection after Q wave
- S wave is negative deflection preceded by Q or R waves
- T wave follows QRS

Atrial Depolarization (P-wave)




The depolarization of both atria is represented by the P-wave. The P-wave is the first ECG deflection.

P-R Interval




Electrical transmission from the atria to the venticles. Includes the P-wave and P-R Segment.

Ventricular Depolarization (QRS)




Ventricular depolarization is indicated by the QRS complex. The R-wave is the initial positive deflection; the negative deflection before the R-wave is the Q; the negative deflection after the R-wave is the S-wave.

Ventricular Repolarization (S-T Segment)




Earlier phase repolarization of both ventricles extends from the end of the QRS to the beginning of the T-wave. The point at which the S-T segment joins the QRS is known as the J (junction)-point.

Ventricular Repolarization (T-wave)




The repolarization of both ventricles is represented by the T-wave. The S-T segment and the T-wave are sensitive indicators of the oxygen demand-oxygen supply status of the ventricular myocardium.

Ventricular Depolarization and Repolarization (Q-T Interval)




Includes the QRS complex, S-T segment, and T-wave.




ECG Limb Leads

Electrocardiographic Leads and Their Axes


Limb leads



ECG Augmented Limb Leads




ECG Precordial Leads



When current flows toward arrowheads (axes), upward deflection occurs in ECG
When current flows away from arrowheads (axes), downward deflection occurs in ECG
When current flows perpendicular to arrows (axes), no deflection occurs

12-Lead ECG

- Limb lead II shows large R because left ventricle current vector lies parallel with electrode placement.
- Chest lead V_1 has large S wave because left ventricle current vector is directed away from electrode.



Interpretation of ECG:


Rate

First measurement to calculate is heart rate. PQRST waves represent one complete cardiac cycle.

1. At standard paper speed, divide 1500 by distance between R to R waves.
2. Find R wave Count for each following line. Where next R lands is quick estimate.
3. Multiply number of cycles in 6 second marks by 10.

Interpretation of ECG: Rate

A




Copyright © 2006 Lippincott Williams & Wilkins.

B



Copyright © 2006 Lippincott Williams & Wilkins.

C



Copyright © 2006 Lippincott Williams & Wilkins.


Interpretation of ECG: Rhythm

- Normal heart rhythm has consistent R-R interval.
- Mild variations due to breathing also normal.

© The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

Determining heart rhythm

Actual rhythm. It is normal to have mild variations between beats due to fluctuations in discharge from the SA Node, and due to the altered stroke volumes during inspiration (decreases) and expiration (increases).



If rhythm was regular, each QRS complex would fall on these arrow marks

Interpretation of ECG: Rhythm

Normal Sinus Rhythm


- **Rate:** 60-100 b/min
- **Rhythm:** regular
- **P waves:** upright in leads I, II, aV_F
- **PR interval:** < 0.20 s
- **QRS:** < 0.10 s

Sinus Bradycardia



- Rate: < 60 bpm
- Rhythm: regular

Sinus Tachycardia

- Rate: > 100 bpm



Irregular ECGs




A


B

AV Conduction Disturbances

- Atrioventricular conduction disturbances refer to blockage of electrical impulse at AV node.
 - 1st degree P waves result in delayed QRS.
 - 2nd degree some but not all P waves have QRS.





1st degree AV block (PR = 280 ms)



Arrhythmias

Arrhythmia: an irregular heartbeat.



- Sinus arrhythmia- P wave precedes QRS but RR interval varies.
- Premature Atrial Contraction (PAC)
- Premature Ventricular Contraction (PVC)





Arrhythmias

© The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

Irregular ECGs



C



D

SYSTEMATIC INTERPRETATION GUIDELINES FOR ELECTROCARDIOGRAM

1. Look for standardization and lead aVR
2. Rate
3. Rhythm
 - I. Regular
 - II. Irregular
4. Axis
 - I. Normal
 - II. Right axis deviation
 - III. Left axis deviation
5. P wave morphology
 - I. P-Mitral
 - II. P-Pulmonary

6. P-R interval
 - I. First degree heart block
 - II. Second degree heart block
 - III. Third degree heart block
7. ST segment and T wave abnormality
 - I. S-T segment elevation
 - II. S-T segment depression
 - III. T wave inversion
8. Hypertrophy
 - I. Left ventricular hypertrophy
 - II. Right ventricular hypertrophy
9. Bundle branch block
 - I. Right bundle branch block
 - II. Left bundle branch block.