



The fifth Lecturer

NUMBER SYSTEM

Computer Applications Medical device technology engineering

MSc. Baraa Riyadh Al-tahan



كلية المستقبل الجامعة الاهلية قسم هندسة تقنيات الاجهزة الطبية تطبيقات حاسوب المرحلة اولى م.م. براء رياض محد على



NUMBER SYSTEM

Number systems: are the technique to represent numbers in the computer system architecture, every value that you are saving or getting into/from computer memory has a defined number system..

Computer architecture supports following number systems:

- Binary number system
- Octal number system
- Decimal number system
- Hexadecimal (hex) number system

BINARY NUMBER SYSTEM

A Binary number system has only two digits that are 0 and 1. Every number (value) represents with 0 and 1 in this number system. The base of binary number system is 2, because it has only two digits.

OCTAL NUMBER SYSTEM

Octal number system has only eight (8) digits from 0 to 7. Every number (value) represents with 0,1,2,3,4,5,6 and 7 in this number system. The base of octal number system is 8, because it has only 8 digits.

DECIMAL NUMBER SYSTEM

Decimal number system has only ten (10) digits from 0 to 9. Every number (value) represents with 0,1,2,3,4,5,6, 7,8 and 9 in this number system. The base of decimal number system is 10, because it has only 10 digits.

HEXADECIMAL NUMBER SYSTEM

A Hexadecimal number system has sixteen (16) alphanumeric values from 0 to 9 and A to F. Every number (value) represents with 0,1,2,3,4,5,6, 7,8,9,A,B,C,D,E and F in this number system. The base of hexadecimal number system is 16, because it has 16 alphanumeric values. Here A is 10, B is 11, C is 12, D is 14, E is 15 and F is 16.

Number system	Base(Radix)	Used digits	Example
Binary	2	0,1	(11110000)2
Octal	8	0,1,2,3,4,5,6,7	(360) ₈
Decimal	10	0,1,2,3,4,5,6,7,8,9	$(240)_{10}$
Hexadecimal	16	0,1,2,3,4,5,6,7,8,9,	(F0) ₁₆
		A,B,C,D,E,F	



كلية المستقبل الجامعة الاهلية قسم هندسة تقنيات الاجهزة الطبية تطبيقات حاسوب المرحلة اولى م.م. براء رياض محد علي



CONVERSIONS

DECIMAL TO OTHER

1. DECIMAL TO BINARY

Decimal Number System to Other

Base To convert Number system from Decimal Number System to Any Other Base is quite easy; you have to follow just two steps:

- A. Divide the Number (Decimal Number) by the base of target base system (in which you want to convert the number: Binary (2), octal (8) and Hexadecimal (16)).
- B. Write the remainder from step 1 as a Least Signification Bit (LSB) to Step last as a Most Significant Bit (MSB).

Dec	imal to B	inary C	onvers	sion	Result
Dec	imal Num	ber is :	(1234	5)10	
2	12345		1	LSB	
2	6172		0		
2	3086		0		
2	1543		1		
2	771		1		
2	385		1		
2	192		0		Binary Number is
2	96		0		$(1100000111001)_2$
2	48		0		
2	24		0		
2	12		0		
2	6		0		
2	3		1		
	1		1	MSB	

2. DECIMAL TO OCTAL

Dec	imal to C	Result		
Dec	imal Nu			
8	12345	1	LSB	
8	1543	7		Octal Number is
8	192	0		(30071)8
8	24	0		
	3	3	MSB	



كلية المستقبل الجامعة الاهلية قسم هندسة تقنيات الاجهزة الطبية تطبيقات حاسوب المرحلة اولى م.م. براء رياض محد علي



3. DECIMAL TO HEXADECIMAL

Deci	mal to He	xade	cimal	Result			
Exar Decin	nple 1 mal Numl	per is					
16	12345			9	LS	B	Hexadecimal Number is
16	771			3			(3039)16
16	48		1	0			
8	3			3	M	ISB	
Exar Decir	nple 2 mal Numl	per is	: (72	5)10			Hexadecimal Number is
16	725	[5		5	LSB	Convert
16	45		13	-)	D		10, 11, 12, 13, 14, 15 to its equivalent
	2		2		2	MSB	A, B, C, D, E, F

BINARY TO OTHER

- A. Multiply the digit with 2(with place value exponent). Eventually add all the multiplication becomes the Decimal number
- 1. BINARY TO DECIMAL



1 + 8 + 16 + 64 + 128 = 217



كلية المستقبل الجامعة الاهلية قسم هندسة تقنيات الاجهزة الطبية تطبيقات حاسوب المرحلة اولى م.م. براء رياض محد على



2. BINARY TO OCTAL

An easy way to convert from binary to octal is to group binary digits into sets of three, starting with the least significant (rightmost) digits.

Binary: 11100101 =	11	100	101	
	011	100	101	Pad the most significant digits with zeros if necessary to complete a group of three.

Then, look up each group in a table:

Binary:	000	001	010	011	100	101	110	111
Octal:	0	1	2	3	4	5	6	7

Binary =	011	100	101	
Octal =	3	4	5	= 345 oct

3. BINARY TO HEXADECIMAL

An equally easy way to convert from binary to hexadecimal is to group binary digits into sets of four, starting with the least significant (rightmost) digits.

Binary: 11100101 = 1110 0101

Then, look up each group in a table:

Binary:	0000	0001	0010	0011	0100	0101	0110	0111
Hexadecimal:	0	1	2	3	4	5	6	7
Binary:	1000 10	01 101	0 101	1 1 1 0 0	1101	1110	111	
Hexadecimal:	89	Α	В	С	D	E I	3	

Binary =	1110	0101	
Hexadecimal =	E	5	= E5 hex

OCTAL TO OTHER

1. OCTAL TO BINARY

Converting from octal to binary is as easy as converting from binary to octal. Simply look up each octal digit to obtain the equivalent group of three binary digits.



كلية المستقبل الجامعة الاهلية قسم هندسة تقنيات الاجهزة الطبية تطبيقات حاسوب المرحلة اولى م.م. براء رياض محد علي



Octal:	0	1	2	3	4	5	6	7
Binary:	000	001	010	011	100	101	110	111

Octal =	3	4	5	
Binary =	011	100	101	= 011100101 binary

2. OCTAL TO HEXADECIMAL

When converting from octal to hexadecimal, it is often easier to first convert the octal number into binary and then from binary into hexadecimal. For example, to convert 345 octal into hex:

(from the previous example)

Octal =	3	4	5	
Binary =	011	100	101	= 011100101 binary

Drop any leading zeros or pad with leading zeros to get groups of four binary digits (bits): Binary 011100101 = 1110 0101

Then, look up the groups in a table to convert to hexadecimal digits.

Binary:	0000	0001	0010	0011	0100	0101	0110	0111
Hexadecimal:	0	1	2	3	4	5	6	7

Binary:	1000	1001	1010	1011	1100	1101	1110	1111
Hexadecimal:	8	9	A	В	С	D	E	F

Binary =	1110	0101	
Hexadecimal =	E	5	= E5 hex

Therefore, through a two-step conversion process, octal 345 equals binary 011100101 equals hexadecimal E5.





3. OCTAL TO DECIMAL

The conversion can also be performed in the conventional mathematical way, by showing each digit place as an increasing power of 8. 345

octal = (3 * 82) + (4 * 81) + (5 * 80) = (3 * 64) + (4 * 8) + (5 * 1) = 229 decimal OR

Converting octal to decimal can be done with repeated division.

- 1. Start the decimal result at 0.
- 2. Remove the most significant octal digit (leftmost) and add it to the result.
- 3. If all octal digits have been removed, you're done. Stop.
- 4. Otherwise, multiply the result by 8.
- 5. Go to step 2.

Octal Digits	Operation	Decimal Result	Operation	Decimal Result
345	+3	3	$\times 8$	24
45	+4	28	$\times 8$	224
5	+5	229	done	

 $[\]Rightarrow$ (345)₈ = (229)₁₀

HEXADECIMAL TO OTHER

HEXADECIMAL TO BINARY

Converting from hexadecimal to binary is as easy as converting from binary to hexadecimal. Simply look up each hexadecimal digit to obtain the equivalent group of four binary digits.

	Hexadecimal:	0	1	2	3	4	5	6	7
ļ	Binary:	0000	0001	0010	0011	0100	0101	0110	0111
	Hexadecimal:	8	9	Α	В	С	D	E	F
l	Binary:	1000	1001	1010	1011	1100	1101	1110	1111

Hexadecimal =	Α	2	D	E	3	
Binary =	1010	0010	1101	1110	0 = 1010001011011110 binar	ry