
10L 24x





(Haralis : 1866)

اسم المحاضرة : اهما ، بدع على

رقم المحاضرة:

قسم تقنيات التحليلات المرضية

التاريخ: ع / الم 2023

السعر



@alef_mus

ALEF ALEF

Lab 3:

Cells

- Smallest living unit
- · Most are microscopic

Discovery of Cells

- Robert Hooke (mid-1600s)
 - Observed sliver of cork
 - Saw "row of empty boxes"
 - Coined the term cell

Cell theory


- (1839)Theodor Schwann & Matthias Schleiden
 - " all living things are made of cells"
- (50 yrs. later) Rudolf Virchow

"all cells come from cells"


Principles of Cell Theory

- · All living things are made of cells
- Smallest living unit of structure and function of all organisms is the cell
- All cells arise from preexisting cells (this principle discarded the idea of spontaneous generation)

Cell Size



Cells Have Large Surface Area-to-Volume Ratio



Characteristics of All Cells


- A surrounding membrane
- Protoplasm cell contents in thick fluid
- · Organelles structures for cell function .
- · Control center with DNA

Cell Types

- Prokaryotic
- Eukaryotic

Prokaryotic Cells

- · First cell type on earth
- · Cell type of Bacteria and Archaea




Prokaryotic Cells

- No membrane bound nucleus
- Nucleoid = region of DNA concentration
- Organelles not bound by membranes


Eukaryotic Cells

- · Nucleus bound by membrane
- · Include fungi, protists, plant, and animal cells
- · Possess many organelles

Representative Animal Cell




Representative Plant Cell



Organelles

- Cellular machinery
- Two general kinds
 - Derived from membranes
 - Bacteria-like organelles




Bacteria-Like Organelles

- Derived from symbiotic bacteria
- Ancient association
- Endosymbiotic theory

Evolution of modern cells from cells & symbiotic bacteria


Plasma Membrane

- Contains cell contents
- Double layer of phospholipids & proteins




Phospholipids

- · Polar
 - Hydrophylic head
 - Hydrophobic tail
- · Interacts with water




Movement Across the Plasma Membrane

- A few molecules move freely
 - Water, Carbon dioxide, Ammonia, Oxygen
- Carrier proteins transport some molecules
 - Proteins embedded in lipid bilayer
 - Fluid mosaic model describes fluid nature of a lipid bilayer with proteins



Membrane Proteins

- 1. Channels or transporters
 - Move molecules in one direction
- 2. Receptors
- Recognize certain chemicals
- 3. Glycoproteins
 - Identify cell type
- 4. Enzymes
 - Catalyze production of substances



Cell Walls


- · Found in plants, fungi, & many protists
- · Surrounds plasma membrane

Cell Wall Differences

- Plants mostly cellulose
- · Fungi contain chitin


Cytoplasm

- Viscous fluid containing organelles
- · components of cytoplasm
 - Interconnected filaments & fibers
 - Fluid = cytosol
 - Organelles (not nucleus)
 - storage substances



Cytoskeleton

- · Filaments & fibers
- Made of 3 fiber types
 - Microfilaments
 - Microtubules
 - Intermediate filaments
- 3 functions:
 - mechanical support
 - anchor organelles
 - help move substances




Cilia & Flagella

- · Provide motility
- · Cilia
 - Short
 - Used to move substances outside human cells
- · Flagella
 - Whip-like extensions
 - Found on sperm cells
- Basal bodies like centrioles

Cilia & Flagella Structure

- · Bundles of microtubules
- With plasma membrane




Centrioles

- · Pairs of microtubular structures
- · Play a role in cell division

Membranous Organelles

- · Functional components within cytoplasm
- · Bound by membranes



Nucleus

- Control center of cell
- Double membrane
- Contains
 - Chromosomes
 - Nucleolus

Nuclear Envelope

- Separates nucleus from rest of cell
- Double membrane
- Has pores

DNA

- Hereditary material
- Chromosomes
 - DNA
 - Protiens
 - Form for cell division
- Chromatin

Nucleolus

- · Most cells have 2 or more
- · Directs synthesis of RNA
- · Forms ribosomes

Endoplasmic Reticulum

- Helps move substances within cells
- · Network of interconnected membranes
- Two types
 - Rough endoplasmic reticulum
 - Smooth endoplasmic reticulum

Rough Endoplasmic Reticulum

- · Ribosomes attached to surface
 - Manufacture protiens
 - Not all ribosomes attached to rough ER
- · May modify proteins from ribosomes

Smooth Endoplasmic Reticulum

- · No attached ribosomes
- · Has enzymes that help build molecules
 - Carbohydrates
 - Lipids

Golgi Apparatus

- · Involved in synthesis of plant cell wall
- · Packaging & shipping station of cell

Golgi Apparatus Function

- 1. Molecules come in vesicles
- 2. Vesicles fuse with Golgi membrane
- 3. Molecules may be modified by Golgi

- 4. Molecules pinched-off in separate vesicle
- 5. Vesicle leaves Golgi apparatus
- 6. Vesicles may combine with plasma membrane to secrete contents

Lysosomes

- Contain digestive enzymes
- Functions
 - Aid in cell renewal
 - Break down old cell parts
 - Digests invaders

Vacuoles

- Membrane bound storage sacs
- More common in plants than animals
- Contents
 - Water
 - Food
 - wastes

Bacteria-Like Organelles

- Release & store energy
- Types
 - Mitochondria (release energy)
 - Chloroplasts (store energy)

Mitochondria

- Have their own DNA
- Bound by double membrane
- Break down fuel molecules (cellular respiration)
 - Glucose
 - Fatty acids
- Release energy
 - ATP

Practical Human Biology

Chloroplasts

إحياء بشري عملي

- Derived form photosynthetic bacteria
- Solar energy capturing organelle

Photosynthesis

- Takes place in the chloroplast
- Makes cellular food glucose

Review of Eukaryotic Cells

TABLE 5.1	Eukaryotic Cell Structures and Their Fun	actions	
Structure	Description	Function	
Exterior Structures		runction	
Cell wall	Outer layer of cellulose or chitin, or absent	Protection, support	
Plasma membrane	Lipid bilayer in which proteins are embedded	Regulation of what passes in and out of cell, cell-to-cell recognition	
Flagella (cilia)	Cellular extensions with 9 + 2 arrangement of pairs of microtubules	Motility or moving fluids over surfaces	
Interior Structures and Or	ganelles		
Endoplasmic reticulum (ER	Network of Internal membranes	Formation of compartments and vesicles; modification and transport of proteins; synthesis of carbohydrates and lipids	
Ribosomes	Small, complex assemblies of protein and RNA, often bound to ER	Sites of protein synthesis	
Nucleus	Spherical structure bounded by a double membrane, site of chromosomes	Control center of cell	
Chromosomes	Long threads of DNA associated with prote	in Sites of hereditary information	
Nucleolus	Site within nucleus of rRNA synthesis	Synthesis and assembly of ribosomes	
Golgi apparatus	Stacks of flattened vesicles	Packaging of proteins for export from cel	
Lysosomes	Membranous sacs containing digestive enzymes found in animal cells	Digestion of various molecules	
Cytoskeleton	Network of protein filaments, fibers, and tubules	Structural support, cell movement	
Mitochondria	Bacteria like elements with inner membras highlyfolded	Power plant of the cell	
Chloroplasts	Bacterialike elements with inner membran- forming sacs containing chlorophyll, for in plant cells and algae	e Site of photosynthesis and	

TABLE 5.2	AC		إحياء بشري عسي
	Compariso	n of Bacterial, Ar	nimal, and Plant Cells
Exterior Structures	Bacterlum	Animal	Plant Plant Cells
Cell wall	Present (protein polysaccharide)	Absent	Present (cellulose)
Plasma membrane	Present		Mary Market
Flagella (cilia)	Sometimes	Present	Present
	present	Sometimes present	Sperm of a few species possess flagella
Interior Structures an	d Organelles	The state of the s	- Andrews
Endoplasmic reticulum	Absent	Usually present	Usually present
Microtubules	Absent	Present	Present
Centrioles	Absent	Present	Absent
Golgl apparatus	Absent	Present	Present
Nucleus	Absent	Present	Present
Mitochondria	Absent	Present	Present
Chloroplasts	Absent	Absent	Present
Chromosomes	A single circle of naked DNA	Multiple units, DNA associated with protein	Multiple units, DNA associated with protein
Ribosomes	Present	Present	Present
Lysosomes	Absent	Present	Present
Vacuoles	Absent	Absent or small	Usually a large single vacuole in mature cell