



**Class: 4<sup>th</sup>**

# **MOBILE COMMUNICATIONS**

**Tetorial 4**

**Chapter Three**

**Traffic Engineering**

**By**

**Dr. Musadaq Mahir**



**Q1\** We record data in the Table below by observing the activity of a single customer line during an eight-hour period from 9:00 A.M. to 5:00 P.M. Find the traffic intensity during the eight-hour period, and during busy hour (BH) which occurs between **3:00 P.M. and 5:00 P.M.**

Call no.	Call started	Call ended	Call duration (min.)
1	9:15	9:18	3.0
2	9:31	9:41	10.0
3	10:17	10:24	7.0
4	10:24	10:34	10.0
5	10:37	10:42	5.0
6	10:55	11:00	5.0
7	12:01	12:02	1.0
8	2:09	2:14	5.0
9	3:15	3:30	15.0
10	4:01	4:35	34.0
11	4:38	4:43	5.0

*Solution*

$$\lambda = \frac{11}{8} = 1.375 \text{ calls / hour}$$

$$\text{Total call minutes} = 3 + 10 + 7 + 10 + 5 + 5 + 1 + 5 + 15 + 34 + 5 = 100 \text{ minutes}$$

The average holding time in hours per call is:

$$H = \frac{100}{11} \times \frac{1}{60} = 0.1515 \text{ hours / call}$$

The traffic intensity is

$$A = \lambda H = 1.375 \times 0.1515 = 0.208 \text{ Erlangs} = 7.5 \text{ CCS}$$

The busy hour (BH) is between 3:00 P.M. and 5:00 P.M. Since there are only three calls between this periods, we can write:

**Call arrival rate =  $3/2 = 1.5$  calls/hour**

The average call holding time during BH:  **$H = (15+5+34)/3 * 1/60 = 0.3$  hours/ call**

The traffic intensity during BH is:  **$A = \lambda H = 1.5 \times 0.3 = 0.45$  Erlangs = 16.2 CCS.**



**Q2/** We record data in the table below by observing the activity of a single customer line during an eight-hour period from 9:00 A.M. to 5:00 P.M. Find the traffic intensity

1- during the eight-hour period

2- during busy hours (BH) which occurs between 2:00 P.M. and 5:00 P.M. (i.e. 3 hour)

Call no.	Call started	Call ended	Call duration (min.)
1	9:15	9:18	3.0
2	9:31	9:41	10.0
3	10:17	10:24	7.0
4	10:24	10:34	10.0
5	10:37	10:42	5.0
6	10:55	11:00	5.0
7	12:01	12:02	1.0
8	2:09	2:14	5.0
9	3:15	3:30	15.0
10	4:01	4:35	34.0
11	4:38	4:43	5.0

$$\lambda = \frac{11}{8} = 1.375 \text{ calls/hour}$$

$$\text{Total call minutes} = 3 + 10 + 7 + 10 + 5 + 5 + 1 + 5 + 15 + 34 + 5 = 100 \text{ minutes}$$

The average holding time in hours per call is:

$$H = \frac{100}{11} \times \frac{1}{60} = 0.1515 \text{ hours/call}$$

The traffic intensity is

$$A = \lambda H = 1.375 \times 0.1515 = 0.208 \text{ Erlangs} = 7.5 \text{ CCS}$$



The busy hour (BH) is between 2:00 P.M. and 5:00 P.M.

The average call holding time during BH:

$$H = \frac{15 + 5 + 34 + 5}{4} = 14.75 \text{ min/call} = 0.245 \text{ hours/call}$$

$$\lambda = \frac{4}{3} = 1.333 \text{ calls/hour}$$

$$A = \lambda H = 1.333 \times 0.245 = 0.327 \text{ Erlangs}$$

**Q3\** In order to determine voice traffic on a line, we collected the following data during a period of **90 minutes**. Calculate the traffic intensity in Erlangs and CCS.

**Traffic data used to estimate traffic intensity.**

Call no.	Duration of call (s)
1	60
2	74
3	80
4	90
5	92
6	70
7	96
8	48
9	64
10	126



**Solution:**

$$\frac{90}{60} = 1.5 \text{ hour}$$

$$\lambda = \frac{10}{1.5} = 6.667 \text{ calls/hour}$$

Average call holding time:

$$H = \frac{(60+74+80+90+92+70+96+48+64+126)}{10} = 80 \text{ sec/call}$$

$$A_u = \lambda H = 6.667 \times \frac{80}{3600} = 0.148 \text{ Erlangs} = 5.33 \text{ CCS}$$

**Q4** In a wireless network each subscriber generates two calls per hour on the average and a typical call holding time is **120 seconds**. What is the traffic intensity?

**Solution:**

$$A_u = \lambda \times H = 2 \times \frac{120}{3600} = 0.0667 \text{ Erlangs} = 2.4 \text{ CCS}$$

**Q5** In order to determine voice traffic on a line, we collected the following data during a period of **120 minutes**. Calculate the traffic intensity in Erlangs and CCS.

Call no.	Duration of call (s)
1	58
2	63
3	47
4	120
5	55
6	95
7	111
8	66



$$\lambda = \frac{8}{2} = 4 \text{ calls/hour}$$

Average call holding time:

$$H = \frac{58 + 63 + 47 + 120 + 55 + 95 + 111 + 66}{8} = \frac{615}{8} = 76.875 \text{ sec/call}$$

$$A_u = \lambda \times H = 4 \times \frac{76.875}{3600} = 0.08542 \text{ Erlangs} = 3.075 \text{ CCS}$$

### Q6\ Define Sectoring and Cell splitting

#### Solution:

- 1. Sectoring:** is the technique for decreasing co-channel interference by using directional antennas. A single Omni-directional antenna at the base station is replaced by several directional antennas, each radiating within a specified *sector*.
- 2. Cell splitting:** is the process of subdividing a congested cell into smaller cells, each with its own base station and a corresponding reduction in antenna height and transmitter power.