



Lecture 2 Al-Mustaqbal University College of Science Department of Medical Physics

Lecturers Dr. Anees Ali Dr. Ahed Hameed

What is Energy

There are different forms of energy on this planet. The Sun is considered as the elemental form of energy on the Earth. In Physics, energy is considered a quantitative property which can be transferred from an object in order for it to perform work. Hence, we can define energy as the strength to do any kind of physical activity. Thus, they say,

Energy is the ability to do work

According to the laws of conservation of energy it states that "the energy can neither be created nor destroyed but can only be converted from one form to another". The SI unit of energy is Joule.

Units of Energy

The International System of Units of measurement of energy is **Joule**. The unit of energy is named after James Prescott Joule. Joule is a derived unit and it is equal to the energy expended in applying a force of **one newton through a distance of one meter**. However, energy is also expressed in many other units not part of the SI, such as ergs, calories, British Thermal Units, kilowatt-hours, and kilocalories, which require a conversion factor when expressed in SI units.

Energy Conversion: Transfer and Transform

We know the energy can be transferred from one form to another, the movement of energy from one location to another is known as energy transfer. We notice various energy transformations happening around us.

Following are the four ways through which energy can be transferred:


- Mechanically By the action of force
- Electrically Electrically
- By Radiation By Light waves or Sound waves
- By Heating By conduction, convection, or radiation

The process which results in the energy changing from one form to another is known as energy transformation. While energy can be transformed or transferred, the total amount of energy does not change – this is called energy conservation.

Law of Conservation of Energy

The law of conservation of energy is one of the basic laws in physics. It governs the microscopic motion of individual atoms in a chemical reaction. The law of conservation of energy states that "*In a closed system, i.e., a system that is isolated from its surroundings, the total energy of the system is conserved.*" According to the law, the total energy in a system is conserved even though the transformation of energy occurs. Energy can neither be created nor destroyed, it can only be converted from one form to another.

Different Types of Energy



© Byjus.com

Although there are many forms of energy, it is broadly categorized into:

- 1. Kinetic Energy
- 2. Potential Energy
-

Q/Although there are many forms of energy, it is broadly categorized into -----.

a) Kinetic Energy and Potential Energy

- b) Energy and Force
- c) Kinetic Energy and Force
- d) Potential Energy and Force

.....

Kinetic Energy

Kinetic energy is the energy associated with the object's motion. Objects in motion are capable of causing a change or are capable of doing work. To better understand, let us think of a wrecking ball. A wrecking ball in motion is used to do work such as demolition of buildings, stones, etc. Even a slowmoving wrecking ball is capable of causing a lot of damage to another object such as an empty house. However, a wrecking ball that is not in motion, does not do any work. Another example of kinetic energy is the energy associated with the constant, random bouncing of atoms or molecules. This is also known as thermal energy. The average thermal energy of a IPage group of molecules is what we call temperature, and when thermal energy is being transferred between two objects, it's known as heat.

Kinetic energy is determined by the given formula

k.E = 1/2 mv² Q/ Kinetic energy is determined by the given formula -----.

a) k.E =
$$mv^2$$

b) k.E = mv
c) k.E = $2 mv^2$
d) k.E = $1/2 mv^2$

.....

Different Types of Kinetic Energy:

Radiant energy Thermal Energy Sound Energy Electrical Energy Mechanical Energy

Potential Energy

Potential energy is the energy stored in an object or system of objects. Potential energy has the ability to transform into a more obvious form of kinetic energy.

Potential energy is determined by the given formula

P.E = m *g * h

Both potential energy and kinetic energy form mechanical energy.

Mechanical energy is determined by the following formula

Mechanical energy = $1/2 \text{ mv}^2 + \text{mgh}$

.....

Q/ Mechanical energy is determined by the following formula

- a) Mechanical energy = $1/2 \text{ mv}^2 + \text{mgh}$
- b) Mechanical energy = mgh
- c) Mechanical energy = $1/2 \text{ mv}^2$
- d) Mechanical energy = $1/2 \text{ mv}^2$ mgh

.....

Some of the examples of electric potential energy include:

- An incandescent light bulb that is turned off
- A radio tower that is not working
- A black-light turned off
- A television before it is turned on

Frequently Asked Questions - FAQs

What happens to the total energy of the object falling freely towards the ground?

The energy remains constant.

Q/ What happens to the total energy of the object falling freely towards the ground? -----

a) The energy remains constant.

- b) The energy equal zero.
- c) The energy increase.
- d) The energy decrease.

.....

What happens to the energy of a body on which work is done?

The body gains more energy.

What is the commercial unit of energy?

The commercial unit of energy is Kilowatt-hour.

Can energy be stored?

Yes, energy can be stored. One efficient way to store energy is in the form of chemical energy in a battery. When connected in a circuit, energy stored in the battery is released to produce electricity.

Energy can also be stored in many other ways. Batteries, gasoline, natural gas, food, water towers, a wound-up alarm clock, a Thermos flask with hot water all stores of energy.

Which of the following is the energy possessed by its position?

- Kinetic Energy
- Potential Energy
- Mechanical Energy
- Electrical Energy